

---

---

**SECURITIES AND EXCHANGE COMMISSION**

**Washington, D.C. 20549**

---

**FORM 6-K**

**REPORT OF FOREIGN PRIVATE ISSUER**

**Pursuant to Rule 13a-16 or 15d-16 of the  
Securities Exchange Act of 1934**

**For the month of July 2022**

**Commission File Number: 001-36349**

**MediWound Ltd.**

(Translation of registrant's name into English)

**42 Hayarkon Street**

**Yavne, 8122745 Israel**

(Address of principal executive offices)

Indicate by check mark whether the registrant files or will file annual reports under cover Form 20-F or Form 40-F.

Form 20-F  Form 40-F

Indicate by check mark if the registrant is submitting the Form 6-K in paper as permitted by Regulation S-T Rule 101(b)

(1):

Indicate by check mark if the registrant is submitting the Form 6-K in paper as permitted by Regulation S-T Rule 101(b)

(7):

---

## EXPLANATORY NOTE

On July 7, 2022, MediWound Ltd. (the “Company”) issued a press release entitled “MediWound Announces Positive Results from its U.S. Phase 2 Pharmacology Study of EscharEx for Debridement of Lower Leg Ulcers”. A copy of this press release is attached to this Form 6-K as Exhibit 99.1.

The content of this report on Form 6-K (including the information contained in Exhibit 99.1, but excluding quotes of senior management of the Company) is hereby incorporated by reference into the Company’s Registration Statements on Form S-8 filed with the SEC on April 28, 2014, March 24, 2016, March 19, 2018, March 25, 2019, February 25, 2020 and May 15, 2021 (Registration Nos. No. 333-195517, 333-210375, 333-223767, 333-195517, 333-210375, 333-230487, 333-236635 and 333-255784, respectively) and on Form F-3 filed with the SEC on May 25, 2022 (Registration No. 333-265203).

## SIGNATURE

Pursuant to the requirements of the Securities Exchange Act of 1934, the registrant has duly caused this report to be signed on its behalf by the undersigned, thereunto duly authorized.

MEDIWOUND LTD.

Date: July 7, 2022

By: /s/ Boaz Gur-Lavie

Name: Boaz Gur-Lavie

Title: Chief Financial Officer

## EXHIBIT INDEX

The following exhibit is filed as part of this Form 6-K:

Exhibit   Description

99.1   [Press release dated July 7, 2022 titled “MediWound Announces Positive Results from its U.S. Phase 2 Pharmacology Study of EscharEx for Debridement of Lower Leg Ulcers”.](#)



**MediWound Announces Positive Results from its U.S. Phase 2 Pharmacology Study of EscharEx for Debridement of Lower Leg Ulcers**

*EscharEx Showed Safe, Effective and Rapid Debridement in VLU and DFUs  
Data Demonstrates EscharEx Reduced Wound Size, Biofilm and Bacterial Burden*

**YAVNE, Israel, July 7, 2022** -- MediWound Ltd. (Nasdaq: MDWD) (the “Company”), a fully-integrated biopharmaceutical company focused on next-generation biotherapeutic solutions for tissue repair and regeneration, today announced positive results from its U.S. prospective, open-label, single-arm, Phase 2 pharmacology clinical study of EscharEx® for the debridement of lower leg ulcers.

The study was designed to evaluate the clinical performance, safety and pharmacology effect of EscharEx in debridement of venous leg ulcers (VLUs) and diabetic foot ulcers (DFUs). Seventy percent of patients achieved complete debridement during the course of treatment within up to 8 applications. On average, complete debridement was achieved after 3.9 applications of EscharEx. Additionally, an average reduction of 35% in wound size was achieved by the end of the 2-week follow-up period. In all patients that were positive for biofilm at baseline, the biofilm was reduced substantially to single individual microorganisms or completely removed by the end of treatment. Seven patients had positive red fluorescence (indicative of bacteria) at baseline and average red fluorescence was reduced from 1.69 cm<sup>2</sup> pre-treatment to 0.60 cm<sup>2</sup> post treatment. Biomarker analysis from wound fluid is on-going and safety data shows that EscharEx is safe and well-tolerated.

“The data from our pharmacology study corroborates the results of our previous Phase 2 studies, and clearly supports EscharEx as a potential rapid and effective, non-surgical debriding agent,” said Ofer Gonen, Chief Executive Officer of MediWound. “We are encouraged by the accumulated clinical data and believe that EscharEx, with its attractive product profile, has the potential to become a best-in-class non-surgical debridement option for the millions of patients suffering from chronic wounds.”

Dr. Robert Snyder, Chief Medical Director of EscharEx program added, “We are excited to see the data showing that EscharEx could effectively debride wounds while disrupting biofilm and lowering bacterial load. There is wide consensus among clinicians that infection and microbial biofilm impedes the healing process and prolongs wound healing. We thank our partners, investigative staff, and especially the patients and their families for their commitment in completing the study.”

**Study Design**

The U.S. phase 2 pharmacology study was a prospective, open label, single-arm study, being conducted at three U.S. clinical sites. The study evaluated the clinical performance, safety, and pharmacology effect of EscharEx in the debridement of lower leg ulcers (VLUs and DFUs). The study evaluated the safety and efficacy of debridement as measured by incidence of, and time to complete debridement. In addition, the study evaluated the pharmacological effects of EscharEx as measured by the changes from baseline to end of treatment period in (1) wound biofilm presence in wound biopsies, (2) bacterial burden measured by MolecuLight® fluorescence images, and (3) biomarkers of wound healing and inflammation in wound fluid.

Twelve patients with either DFUs or VLUs were enrolled in the study. Patients were treated with up to eight daily applications of EscharEx and then continued follow-up for 2 weeks. Punch biopsies and wound fluids were collected prior to the first, and after the last treatment. Biofilm presence was analyzed from wound biopsies. Wound fluids were analyzed to evaluate biomarkers of wound healing and inflammation, i.e., MMPs, cytokines, chemokines, growth factors and HNE. Fluorescent imaging was used during treatment to measure wound size and bacterial load. Fluorescent imaging was also utilized to identify the highest fluorescence area to obtain the biopsy. EscharEx demonstrated safe and effective debridement with a few daily applications. In addition, evaluation of wounds’ tissue samples (biopsies) and fluorescence images, indicated reduction of wound area, biofilm and bacterial bioburden following the treatment with EscharEx.

---

## **About Biofilm<sup>1</sup>**

Biofilm is created through the attachment of bacteria to elements in the extracellular polymeric substances (EPS). The EPS, which is 50% to 90% of the total biofilm organic matter, is comprised of dead host tissue, microorganisms' secretions, proteins, nucleic acids, lipids, and polysaccharides. Biofilm has been reported to interfere with normal wound healing, apparently by 'locking' the wound bed into a chronic inflammatory state that leads to elevated levels of tissue-degrading proteases and reactive oxygen species which damage cells and molecules needed for healing. A large percentage of bacteria in biofilm communities are metabolically dormant, and low metabolic rates make antibiotics ineffective. The EPS substances and their interactions are targets for therapeutic biofilm elimination.

Bacterial biofilm has been shown to prolong the inflammatory process, which is detrimental to wound healing because of the degradation of the growth factors required for cellular proliferation and migration necessary for wound healing.

## **About EscharEx**

EscharEx is a bioactive therapy for debridement of chronic and other hard-to-heal wounds in advanced stages of clinical development. Designed for the outpatient setting, EscharEx is an easy-to-use concentrate of proteolytic enzymes enriched in bromelain for topical daily applications.

EscharEx was well-tolerated and demonstrated safety and efficacy in the debridement of various chronic and other hard-to-heal wounds with only few daily applications in several Phase 2 trials. EscharEx's mechanism of action is mediated by the proteolytic enzymes that cleave and remove the necrotic tissue and prepare the wound bed for healing.

## **About MediWound Ltd.**

MediWound is a biopharmaceutical company that develops, manufactures, and commercializes novel, cost effective, bio-therapeutic solutions for tissue repair and regeneration. Our strategy leverages our enzymatic technology platform, focused on next-generation bioactive therapies for burn care, wound care and tissue repair.

NexoBrid®, our commercial orphan biological product for non-surgical eschar removal of deep-partial and full-thickness thermal burns, is a bromelain-based biological product containing a sterile mixture of proteolytic enzymes that selectively removes burn eschar within four hours without harming surrounding viable tissue. NexoBrid is currently marketed in the European Union and other international markets and is at registration-stage with the Food and Drug Administration (FDA). NexoBrid is supported by the U.S. Biomedical Advanced Research and Development Authority (BARDA).

---

<sup>1</sup> Source: World Union of Wound Healing Societies (WUWHS), Florence Congress, Position Document. Management of Biofilm. Wounds International 2016

---

EscharEx, our next-generation bioactive topical therapeutic under development in the U.S. for debridement of chronic and hard to heal wounds. EscharEx was well-tolerated and has demonstrated safety and efficacy in the debridement of various chronic and other hard-to-heal wounds, within a few daily applications in several Phase 2 trials. An end-of-phase 2 meeting with the FDA is targeted for the second half of 2022.

MW005, our topical biological drug for the treatment of non-melanoma skin cancers, is a clinical-stage product candidate under development.

Committed to innovation, we are dedicated to improving quality of care and patient lives. For more information, please visit [www.mediwound.com](http://www.mediwound.com).

### **Cautionary Note Regarding Forward-Looking Statements**

*MediWound cautions you that all statements other than statements of historical fact included in this press release that address activities, events, or developments that we expect, believe, or anticipate will or may occur in the future are forward-looking statements. Although we believe that we have a reasonable basis for the forward-looking statements contained herein, they are based on current expectations about future events affecting us and are subject to risks, assumptions, uncertainties, and factors, all of which are difficult to predict and many of which are beyond our control. Actual results may differ materially from those expressed or implied by the forward-looking statements in this press release. These statements are often, but are not always, made through the use of words or phrases such as “anticipates,” “intends,” “estimates,” “plans,” “expects,” “continues,” “believe,” “guidance,” “outlook,” “target,” “future,” “potential,” “goals” and similar words or phrases, or future or conditional verbs such as “will,” “would,” “should,” “could,” “may,” or similar expressions.*

*Specifically, this press release contains forward-looking statements concerning the anticipated progress, development, study design, expected data timing, objectives anticipated timelines, expectations and commercial potential of our products and product candidates, including EscharEx. Among the factors that may cause results to be materially different from those stated herein are the inherent uncertainties associated with the uncertain, lengthy and expensive nature of the product development process; the timing and conduct of our studies of our products and product candidates, including the timing, progress and results of current and future clinical studies, and our research and development programs; the approval of regulatory submission by the European Medicines Agency or by any other regulatory authority, our ability to obtain marketing approval of our products and product candidates in the U.S. or other markets; the clinical utility, potential advantages and timing or likelihood of regulatory filings and approvals of our products and products; our expectations regarding future growth, including our ability to develop new products; risks related to our contracts with BARDA; market acceptance of our products and product candidates; our ability to maintain adequate protection of our intellectual property; competition risks; the need for additional financing; the impact of government laws and regulations and the impact of the COVID-19 pandemic. For example, we are unable to predict how the pandemic will affect the overall healthcare infrastructure, including the ability to recruit patients, the ability to conduct the studies in medical sites and the pace with which governmental agencies, such as the FDA, will review and approve regulatory submissions. Additional government-imposed quarantines and requirements to “shelter at home” or other incremental mitigation efforts also may impact our ability to source supplies for our operations or our ability or capacity to manufacture, sell and support the use of our products and product candidates in the future.*

*These and other significant factors are discussed in greater detail in MediWound’s annual report on Form 20-F for the year ended December 31, 2021, filed with the Securities and Exchange Commission (“SEC”) on March 17, 2022, Quarterly Reports on Form 6-K and other filings with the SEC from time-to-time. These forward-looking statements reflect MediWound’s current views as of the date hereof and MediWound undertakes, and specifically disclaims, any obligation to update any of these forward-looking statements to reflect a change in their respective views or events or circumstances that occur after the date of this release except as required by law.*

**Contacts:**

Boaz Gur-Lavie  
Chief Financial Officer  
MediWound Ltd.  
[ir@mediwound.com](mailto:ir@mediwound.com)

**Monique Kosse**  
Managing Director  
LifeSci Advisors  
212-915-3820  
[monique@lifesciadvisors.com](mailto:monique@lifesciadvisors.com)